Webfont Features Demo

Gentium Plus is an OpenType and Graphite-enabled font that supports the Latin, Cyrillic, and Greek scripts. This page demonstrates the use of Web Open Font Format (.WOFF) fonts using Gentium Plus on a web page. A PDF showing the correct rendering — that is, what this page *should* look like — can be seen **here**.

The Gentium Plus font includes a number of optional features that provide alternative rendering that might be preferable for use in some contexts. The sections below enumerate the details of these features. Whether these features are available to users will depend on both the application and the rendering technology (**Graphite** or OpenType) being used. Most features are available in both Graphite and OpenType, though there may be minor differences in their implementation.

In **Mozilla Firefox**, with either Graphite or OpenType rendering, features can be accessed using the appropriate CSS markup. See **Using SIL Fonts on Web Pages: OpenType and Graphite feature support** (the technique described there works for both Graphite and OpenType).

Chrome and **Safari** use OpenType rendering, and features can be accessed using the appropriate CSS markup.

Internet Explorer/**Edge** do not consistently render the features in Gentium Plus properly.

Language specific

Vietnamese-style diacritics

Affects: U+1EA4 U+1EA5 U+1EA6 U+1EA7 U+1EA8 U+1EA9 U+1EAA U+1EAB U+1EAE U+1EAF U+1EB0 U+1EB1 U+1EB2 U+1EB3 U+1EB4 U+1EB5 U+1EBE U+1EBF U+1EC0 U+1EC1 U+1EC2 U+1EC3 U+1EC4 U+1EC5 U+1ED0 U+1ED1 U+1ED2 U+1ED3 U+1ED4 U+1ED5 U+1ED6 U+1ED7

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	Ấấ Ầầ Ẩẩ Ẫẫ Ắắ Ằằ Ẳẳ Ẵẵ Ếế Ềề Ểể Ễễ Ốố Ồồ Ổổ Ỗỗ	G,O,T	cv75=0	viet=0
Vietnamese-style	Ấấ Ầầ Ẩẩ Ẫẫ Ắắ Ằằ Ẳẳ Ẵẵ Ếế Ềề Ểể Ễễ Ốố Ồồ Ổổ Ỗỗ	G,O,T	cv75=1	viet=1

Serbian-style alternates

Affects: U+0431 U+0433 U+0434 U+043F U+0442

Primary differences will be visible for italic faces.

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	*Бб Гг Дд Пп Тт*	G,O,T		serb=0
True	*Бб Гг Дд Пп Тт*	G,O,T	lang='srb'	serb=1

Chinantec tones

Affects: U+02CB U+02C8 U+02C9 U+02CA

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	ˋ ˈ ˉ ˊ	G,O,T	cv90=0	chtn=0
Chinantec-style	ˋ ˈ ˉ ˊ	G,O,T	cv90=1	chtn=1

Cyrillic[2]

Installing and Using
System Requirements
Character Set Support
Smart Font Features
Design
Using SIL Web Fonts
FAQ
SIL Font News list

Mongolian-style Cyrillic E

Affects: U+042D U+044D

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
False	Ээ	G,O,T	cv80=0	mone=0
Mongolian-style	Ээ	G,O,T	cv80=1	mone=1

Combining breve Cyrillic form

Affects: U+0306

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
False	anything with ◌̆ (ə̆ă)	G,O,T	cv82=0	sbrv=0
Cyrillic-style	anything with ◌̆ (ə̆ă)	G,O,T	cv82=1	sbrv=1

Cyrillic shha alternate

Affects: U+04BB

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
False	һh	G,O,T	cv81=0	shha=0
Uppercase style	һh	G,O,T	cv81=1	shha=1

Tone-related

Tone numbers

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
Bars	˥˦˧˨˩꜒꜓꜔꜕꜖	G,O,T	cv91=0	tone=0
Numbers	5 4 3 2 1 5 4 3 2 1	G,O,T	cv91=1	tone=1

Hide tone contour staves

Affects: U+02E5 U+02E6 U+02E7 U+02E8 U+02E9 U+A712 U+A713 U+A714 U+A715 U+A716

Does not seem to be working in OpenType implementations.

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
False	˥˦˧˨˩꜒꜓꜔꜕꜖ (˩˥˩ ꜖꜒꜖)	G,O,T	cv92=0	tstv=0
True	˥˦˧˨˩꜒꜓꜔꜕꜖ (˩˥˩ ꜖꜒꜖)	G,O,T	cv92=1	tstv=1

Miscellaneous

Literacy alternates

Affects: U+0061 U+00E0 U+00E1 U+00E2 U+00E3 U+00E4 U+00E5 U+0101 U+0103 U+0105 U+01CE U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA1 U+1EA3 U+1EA5 U+1EA7 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EB7 U+2C65 U+2090 U+1D43 U+0363 U+0067 U+011D U+011F U+0121 U+0123 U+01E7 U+01F5 U+01E5 U+1E21 U+A7A1 U+1D4D

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID

False	Aa Àà Áá Ââ Ãã Ää Åå Āā Ăă Ąą Ǎǎ Ǟǟ Ǡǡ Ǻǻ Ȁȁ Ȃȃ Ȧȧ Ḁḁ ẚ Ạạ Ảả Ấấ Ầầ Ẩẩ Ẫẫ Ậậ Ắắ Ằằ Ẳẳ Ẵẵ Ặặ Ⱥⱥ ₐ ᵃ ◌ͣ Gg Ĝĝ Ğğ Ġġ Ģģ Ǧǧ Ǵǵ G̱g̱ Ḡḡ Ǥǥ ᵍ	G,O,T	ss01=0	litr=0
True	Aa Àà Áá Ââ Ãã Ää Åå Āā Ăă Ąą Ǎǎ Ǟǟ Ǡǡ Ǻǻ Ȁȁ Ȃȃ Ȧȧ Ḁḁ ẚ Ạạ Ảả Ấấ Ầầ Ẩẩ Ẫẫ Ậậ Ắắ Ằằ Ẳẳ Ẵẵ Ặặ Ⱥⱥ ₐ ᵃ ◌ͣ Gg Ĝĝ Ğğ Ġġ Ģģ Ǧǧ Ǵǵ G̱g̱ Ḡḡ Ǥǥ ᶢ	G,O,T	ss01=1	litr=1

Barred-bowl forms

Affects: U+0111 U+0180 U+01E5

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	Đđ Ƀƀ Ǥǥ	G,O,T	ss04=0	bowl=0
Barred-bowl	Đđ Ƀƀ Ǥǥ	G,O,T	ss04=1	bowl=1

Slant italic specials

Affects: U+0061 U+00E3 U+00E0 U+00E1 U+00E2 U+00E4 U+00E5 U+0101 U+0103 U+01CE U+01DF U+01E1 U+01FB U+0201 U+0203 U+0227 U+1E01 U+1E9A U+1EA3 U+1EA5 U+1EA7 U+1EA9 U+1EAB U+1EAD U+1EAF U+1EB1 U+1EB3 U+1EB5 U+1EA1 U+1EB7 U+2C65 U+0250 U+00E6 U+0066 U+1E1F U+0069 U+00EC U+00ED U+00EE U+00EF U+0129 U+012B U+012D U+012F U+01D0 U+0209 U+020B U+1E2D U+1E2F U+1EC9 U+1ECB U+0131 U+006C U+013A U+1E37 U+1E39 U+1E3B U+1E3D U+0076 U+1E7D U+1E7F U+007A U+017A U+017C U+017E U+1E91 U+1E93 U+1E95 U+0493 U+04FB U+F327 U+A749 U+A75F U+2097

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	*Aa Ãã Àà Áá Ââ Ää Åå Āā Ăă Ǎǎ Ǟǟ Ǡǡ Ǻǻ Ȁȁ Ȃȃ Ȧȧ Ḁḁ ẚ Ảả Ấấ Ầầ Ẩẩ Ẫẫ Ậậ Ắắ Ằằ Ẳẳ Ẵẵ Ạạ Ặặ Ⱥⱥ ɐ Ææ Ff Ḟḟ Ii Ìì Íí Îî Ïï Ĩĩ Īī Ĭĭ Įį Ǐǐ Ȉȉ Ȋȋ Ḭḭ Ḯḯ Ỉỉ Ịị Iı Ll Ĺĺ Ḷḷ Ḹḹ Ḻḻ Ḽḽ Ꝉꝉ ₗ Vv Ṽṽ Ṿṿ Ꝟꝟ Zz Źź Żż Žž Ẑẑ Ẓẓ Ẕẕ Ғғ Ӻӻ fi ffi*	G,O,T	ss05=0	ital=0
True	*Aa Ãã Àà Áá Ââ Ää Åå Āā Ăă Ǎǎ Ǟǟ Ǡǡ Ǻǻ Ȁȁ Ȃȃ Ȧȧ Ḁḁ ẚ Ảả Ấấ Ầầ Ẩẩ Ẫẫ Ậậ Ắắ Ằằ Ẳẳ Ẵẵ Ạạ Ặặ Ⱥⱥ ɐ Ææ Ff Ḟḟ Ii Ìì Íí Îî Ïï Ĩĩ Īī Ĭĭ Įį Ǐǐ Ȉȉ Ȋȋ Ḭḭ Ḯḯ Ỉỉ Ịị Iı Ll Ĺĺ Ḷḷ Ḹḹ Ḻḻ Ḽḽ Ꝉꝉ ₗ Vv Ṽṽ Ṿṿ Ꝟꝟ Zz Źź Żż Žž Ẑẑ Ẓẓ Ẕẕ Ғғ Ӻӻ fi ffi*	G,O,T	ss05=1	ital=1

Non-European caron alternates

Affects: U+0164 U+0165 U+010E U+010F U+013D U+013E

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
European style	Ťť Ďď Ľľ	G,O,T	cv77=0	carn=0
Non-European style	Ťť Ďď Ľľ	G,O,T	cv77=1	carn=1

Ogonek alternate

Affects: U+0328 U+0104 U+0105 U+0118 U+0119 U+012E U+012F U+0172 U+0173 U+01EA U+01EB U+01EC U+01ED

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Curved	anything with ◌̨ (Ąą Ęę Įį Ųų Ǫǫ Ǭǭ)	G,O,T	cv76=0	ogon=0
Straight	anything with ◌̨ (Ąą Ęę Įį Ųų	G,O,T	cv76=1	ogon=1

Ǫǫ Ǭǭ)

Low-profile diacritics

Affects: U+0300 U+0301 U+0302 U+0303 U+0304 U+0307 U+0308 U+030C

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
Normal	anything with ◌́◌̀◌̂◌̌◌̄◌̃◌̈◌̇ (áàâǎāãäȧ)	G,O,T	ss07=0	lopr=0
Low-profile	anything with ◌́◌̀◌̂◌̌◌̄◌̃◌̈◌̇ (áàâǎāãäȧ)	G,O,T	ss07=1	lopr=1

Serif beta alternate

Affects: U+03B2 U+1D66 U+1D5D

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
No serif	βᵝᵦ	G,O,T	cv13=0	beta=0
Serif	βᵝᵦ	G,O,T	cv13=1	beta=1

Capital B-hook alternate

Affects: U+0181

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
Uppercase style	Ɓɓ	G,O,T	cv13=0	B_hk=0
Lowercase style	Ɓɓ	G,O,T	cv13=1	B_hk=1

Capital D-hook alternate

Affects: U+018A

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
Uppercase style	Ɗɗ	G,O,T	cv17=0	D_hk=0
Lowercase style	Ɗɗ	G,O,T	cv17=1	D_hk=1

Rams horn alternates

Affects: U+0264

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
Small bowl	ɤ	G,O,T	cv25=0	ramh=0
Large bowl	ɤ	G,O,T	cv25=1	ramh=1
Small gamma	ɤ	G,O,T	cv25=2	ramh=2

Capital H-stroke alternate

Affects: U+0126

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
False	Ħħ	G,O,T	cv28=0	Hstk=0
Vertical-stroke	Ħħ	G,O,T	cv28=1	Hstk=1

J-stroke hook alternate

Affects: U+0284

Feature	Sample	Rendering¹	OT Feature ID	Graphite Feature ID
No serif	ʄ	G,O,T	cv37=0	Jstk=0
Top serif	ʄ	G,O,T	cv37=1	Jstk=1

Capital Eng alternates

Affects: U+014A

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Lowercase style with descender	Ŋŋ	G,O,T	cv43=0	Engs=0
Lowercase style on baseline	Ŋŋ	G,O,T	cv43=1	Engs=1
Uppercase style with descender	Ŋŋ	G,O,T	cv43=2	Engs=2
Alt. lowercase style on baseline	Ŋŋ	G,O,T	cv43=3	Engs=3

Capital N-left-hook alternate

Affects: U+019D

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Uppercase style	Ɲɲ	G,O,T	cv44=0	N_hk=0
Lowercase style	Ɲɲ	G,O,T	cv44=1	N_hk=1

Open-O alternate

Affects: U+0186 U+0254 U+1D10 U+1D53 U+1D97

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Bottom serif	Ɔɔ ᴐ ᵓ ᶗ	G,O,T	cv46=0	opnO=0
Top serif	Ɔɔ ᴐ ᵓ ᶗ	G,O,T	cv46=1	opnO=1

Small p-hook alternate

Affects: U+01A5

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Left hook	Ƥƥ	G,O,T	cv49=0	p_hk=0
Right hook	Ƥƥ	G,O,T	cv49=1	p_hk=1

Capital R-tail alternate

Affects: U+2C64

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Uppercase style	Ɽɽ	G,O,T	cv55=0	R_tl=0
Lowercase style	Ɽɽ	G,O,T	cv55=1	R_tl=1

Capital T-hook alternate

Affects: U+01AC

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Left hook	Ƭƭ	G,O,T	cv57=0	t_hk=0
Right hook	Ƭƭ	G,O,T	cv57=1	t_hk=1

V-hook alternates

Affects: U+01B2 U+028B U+1DB9

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Curved	Ʋʋᶹ	G,O,T	cv62=0	v_hk=0
Straight with low hook	Ʋʋᶹ	G,O,T	cv62=1	v_hk=1

Straight with high hook	Ʋʋᶹ	G,O,T	cv62=2	v_hk=2

Capital Y-hook alternate

Affects: U+01B3

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Right hook	Ƴƴ	G,O,T	cv68=0	Y_hk=1
Left hook	Ƴƴ	G,O,T	cv68=1	Y_hk=0

Small ezh-curl alternate

Affects: U+0293

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Small bowl	ʓ	G,O,T	cv19=0	ezhc=0
Large bowl	ʓ	G,O,T	cv19=1	ezhc=1

Capital Ezh alternates

Affects: U+01B7 U+04E0

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Normal	Ʒʒ Ӡӡ	G,O,T	cv20=0	Ezhr=0
Reversed sigma	Ʒʒ Ӡӡ	G,O,T	cv20=1	Ezhr=1

OU alternates

Affects: U+0222 U+0223 U+1D3D U+1D15

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Closed	Ȣȣᴽᴕ	G,O,T	cv47=0	opOU=0
Open	Ȣȣᴽᴕ	G,O,T	cv47=1	opOU=1

Modifier apostrophe alternates

Affects: U+02BC U+A78B U+A78C

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Small	ʼꞋꞌ	G,O,T	cv70=0	apos=0
Large	ʼꞋꞌ	G,O,T	cv70=1	apos=1

Modifier colon alternate

Affects: U+A789

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Tight	꞉	G,O,T	cv71=0	coln=0
Expanded	꞉	G,O,T	cv71=1	coln=1

Porsonic circumflex

Affects: U+0342 U+1F06 U+1F07 U+1F0E U+1F0F U+1F26 U+1F27 U+1F2E U+1F2F U+1F36 U+1F37 U+1F3E U+1F3F U+1F56 U+1F57 U+1F5F U+1F66 U+1F67 U+1F6E U+1F6F U+1F86 U+1F87 U+1F8E U+1F8F U+1F96 U+1F97 U+1F9E U+1F9F U+1FA6 U+1FA7 U+1FAE U+1FAF U+1FB6 U+1FB7 U+1FC0 U+1FC1 U+1FC6 U+1FC7 U+1FCF U+1FD6 U+1FD7 U+1FDF U+1FE6 U+1FE7 U+1FF6 U+1FF7

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	◌͂, ἆ, ἇ, Ἆ, Ἇ, ἦ, ἧ, Ἦ, Ἧ, ἶ, ἷ, Ἶ, Ἷ, ὖ, ὗ,	G,O,T	cv78=0	pcir=0

	Ὗ, ὦ, ὧ, Ὦ, Ὧ, ᾆ, ᾇ, ᾎ, ᾏ, ᾖ, ᾗ, ᾞ, ᾟ, ᾦ, ᾧ, ᾮ, ᾯ, ᾶ, ᾷ, ῀, ῁, ῆ, ῇ, ῏, ῖ, ῗ, ῟, ῦ, ῧ, ῶ, ῷ			
Porsonic style	◌͂, ἆ, ἇ, Ἆ, Ἇ, ἦ, ἧ, Ἦ, Ἧ, ἶ, ἷ, Ἶ, Ἷ, ὖ, ὗ, Ὗ, ὦ, ὧ, Ὦ, Ὧ, ᾆ, ᾇ, ᾎ, ᾏ, ᾖ, ᾗ, ᾞ, ᾟ, ᾦ, ᾧ, ᾮ, ᾯ, ᾶ, ᾷ, ῀, ῁, ῆ, ῇ, ῏, ῖ, ῗ, ῟, ῦ, ῧ, ῶ, ῷ	G,O,T	cv78=1	pcir=1

Empty set alternates

Affects: U+2205

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
Circle	∅	G,O,T	cv98=0	empt=0
Zero	∅	G,O,T	cv98=1	empt=1

Small Caps

Affects: all lower-case letters with upper-case equivalents

Feature	Sample	Rendering[1]	OT Feature ID	Graphite Feature ID
False	a b c d e f g h i j k l m n o p q r s t u v w x y z à á â ã ä å æ ç è é ê ë ì í î ï ð ñ ò ó ô õ ö ø ù ú û ü ý þ ÿ ā ă ą ć ĉ ċ č ď đ ē ĕ ė ę ě ĝ ğ ġ ģ ĥ ħ ĩ ī ĭ į ı ĳ ĵ ķ ĺ ļ ľ ŀ ł ń ņ ň ŋ ō ŏ ő œ ŕ ŗ ř ś ŝ ş š ţ ť ŧ ũ ū ŭ ů ű ų ŵ ŷ ź ż ž ƀ ɓ ƃ ƈ ƌ ƒ ƕ ƙ ƚ ƞ ơ ƣ ƥ ƨ ƭ ư ƴ ƶ ƹ ƽ ƿ ǅ ǆ ǈ ǉ ǋ ǌ ǎ ǐ ǒ ǔ ǖ ǘ ǚ ǜ ǝ ǟ ǡ ǣ ǥ ǧ ǩ ǫ ǭ ǯ ǲ ǳ ǵ ǹ ǻ ǽ ǿ ȁ ȃ ȅ ȇ ȉ ȋ ȍ ȏ ȑ ȓ ȕ ȗ ș ț ȝ ȟ ȣ ȥ ȧ ȩ ȫ ȭ ȯ ȱ ȳ ȼ ɂ ɇ ɉ ɋ ɍ ɏ ɐ ɑ ɓ ɔ ɗ ə ɛ ɠ ɣ ɨ ɩ ɫ ɯ ɱ ɲ ɵ ɽ ʀ ʃ ʈ ʉ ʊ ʋ ʌ ʒ ᵽ ḁ ḃ ḅ ḇ ḉ ḋ ḍ ḏ ḑ ḓ ḕ ḗ ḙ ḛ ḝ ḟ ḡ ḣ ḥ ḧ ḩ ḫ ḭ ḯ ḱ ḳ ḵ ḷ ḹ ḻ ḽ ḿ ṁ ṃ ṅ ṇ ṉ ṋ ṍ ṏ ṑ ṓ ṕ ṗ ṙ ṛ ṝ ṟ ṡ ṣ ṥ ṧ ṩ ṫ ṭ ṯ ṱ ṳ ṵ ṷ ṹ ṻ ṽ ṿ ẁ ẃ ẅ ẇ ẉ ẋ ẍ ẏ ẑ ẓ ẕ ạ ả ấ ầ ẩ ẫ ậ ắ ằ ẳ ẵ ặ ẹ ẻ ẽ ế ề ể ễ ệ ỉ ị ọ ỏ ố ồ ổ ỗ ộ ớ ờ ở ỡ ợ ụ ủ ứ ừ ử ữ ự ỳ ỵ ỷ ỹ ỻ ỽ ỿ ⱡ ⱥ ⱦ ⱨ ⱪ ⱬ ⱳ ȿ ɀ ⱶ ꜣ ꜥ ꜧ ꜩ ꜫ ꜭ ꜯ ꜳ ꜵ ꜷ ꜹ ꜻ ꜽ ꜿ ꝁ ꝃ ꝅ ꝇ ꝉ ꝋ ꝍ ꝏ ꝑ ꝓ ꝕ ꝗ ꝙ ꝛ ꝝ ꝟ ꝡ ꝣ ꝥ ꝧ ꝩ ꝫ ꝭ ꝯ ꝺ ꝼ ꝿ ꞁ ꞃ ꞅ ꞇ ꞌ ɥ ꞑ ꞓ ꞗ ꞙ ꞡ ꞣ ꞥ ꞧ ꞩ ɦ ɜ ɡ ɬ ʞ ʇ ɖ ᵹ ꜣ ꜥ	G,O,T	c2sc=0 or smcp=0	smcp=0
True	A B C D E F G H I J K L M N O P Q R S T U V W X Y Z À Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ï Ð Ñ Ò Ó Ô Õ Ö Ø Ù Ú Û Ü Ý Þ Ÿ Ā Ă Ą Ć Ĉ Ċ Č Ď Đ Ē Ĕ Ė Ę Ě Ĝ Ğ Ġ Ģ Ĥ Ħ Ĩ Ī Ĭ Į I Ĳ Ĵ Ķ Ĺ Ļ Ľ Ŀ Ł Ń Ņ Ň Ŋ Ō Ŏ Ő Œ Ŕ Ŗ Ř Ś Ŝ Ş Š Ţ Ť Ŧ Ũ Ū Ŭ Ů Ű Ų Ŵ Ŷ Ź Ż Ž Ƀ Ɓ Ƃ Ƈ Ƌ Ƒ Ƕ Ƙ Ƚ Ƞ Ơ Ƣ Ƥ Ƨ Ƭ Ư Ƴ Ƶ Ƹ Ƽ Ƿ Ǆ Ǆ Ǉ Ǉ Ǌ Ǌ Ǎ Ǐ Ǒ Ǔ Ǖ Ǘ Ǚ Ǜ Ǝ Ǟ Ǡ Ǣ Ǥ Ǧ Ǩ Ǫ Ǭ Ǯ Ǳ Ǳ Ǵ Ǹ Ǻ Ǽ Ǿ Ȁ Ȃ Ȅ Ȇ Ȉ Ȋ Ȍ Ȏ Ȑ Ȓ Ș Ț Ȝ Ȟ Ȣ Ȥ Ȧ Ȩ Ȫ Ȭ Ȯ Ȱ Ȳ Ȼ Ɂ Ɇ Ɉ Ɋ Ɍ Ɏ Ɐ Ɑ Ɓ Ɔ Ɗ Ə Ɛ Ɠ Ɣ Ɨ Ɩ Ƚ Ɯ Ɱ Ɲ Ɵ Ɽ Ʀ Ʃ Ʈ Ʉ Ʊ Ʋ Ʌ Ʒ Ᵽ Ḁ Ḃ Ḅ Ḇ Ḉ Ḋ Ḍ Ḏ Ḑ Ḓ Ḕ Ḗ Ḙ Ḛ Ḝ Ḟ Ḡ Ḣ Ḥ Ḧ Ḩ Ḫ Ḭ Ḯ Ḱ Ḳ Ḵ Ḷ Ḹ Ḻ Ḽ Ḿ Ṁ Ṃ Ṅ Ṇ Ṉ Ṋ Ṍ Ṏ Ṑ Ṓ Ṕ Ṗ Ṙ Ṛ Ṝ Ṟ Ṡ Ṣ Ṥ Ṧ Ṩ Ṫ Ṭ Ṯ Ṱ Ṳ Ṵ Ṷ Ṹ Ṻ Ṽ Ṿ Ẁ Ẃ Ẅ Ẇ Ẉ Ẋ Ẍ Ẏ Ẑ Ẓ Ẕ Ạ Ả Ấ Ầ Ẩ Ẫ Ậ Ắ Ằ Ẳ Ẵ Ặ Ẹ Ẻ Ẽ Ế Ề Ể Ễ Ệ Ỉ Ị Ọ Ỏ Ố Ồ Ổ Ỗ	G,O,T	c2sc=1 or smcp=1	smcp=1



[1] **Legend:** G=Implemented in Graphite; O=Implemented in OpenType; T=Implemented in TypeTuner (command line version: **http://scripts.sil.org/TypeTuner** and web-based version: **http://scripts.sil.org/ttw**).

[2] There are also Cyrillic characters affected by the “Capital Ezh alternates” and “Small capitals” features. Some languages may also use the “Modifier apostrophe alternates.”

^ top ^

This font software is free to use, modify and redistribute according to the terms of the SIL Open Font License.

See the Developer page to get source code, report issues and get involved in development.

See the Latin, Cyrillic, and Greek Fonts page for further information.

Please also consider a donation to support our work.

SIL INTERNATIONAL
Discover SIL
Language & Culture
Language Development
News

SOFTWARE & INFORMATION
Ethnologue
ISO 639-3
Software Catalog
Bloom
WeSay
FieldWorks Language Explorer
Paratext

FONTS & WRITING SYSTEMS
ScriptSource
Computers & Writing Systems
Font Catalog
Charis SIL
Doulos SIL
Andika
Annapurna SIL
Graphite
SIL Open Font License

CONTACT & SUPPORT
Contact
Support
FAQ

Copyright © 2017 SIL International